

- McMILLAN, D. E. and UTTERBACK, N. G. (1981) Impaired flow properties of diabetic erythrocytes. *Clin Hemorheol.* **1**: 147-152.
- McMILLAN, D. E., UTTERBACK, N. G. and LA PUMA, J. (1978) Reduced erythrocyte deformability in diabetes. *Diabetes* **27**: 895-901.
- MEYER, L. A., UBELS, J. L. and EDELHAUSER, H. F. (1988) Corneal endothelial morphology in the rat: Effects of aging, diabetes and topical aldose reductase inhibitor treatment. *Invest. Ophthalm. Vis. Sci.* **29**: 940-948.
- MIKI, E., FUKUDA, M., KUZUYA, T., KOSAKA, K. and NAKAO, K. (1969) Relationship of the course of retinopathy to control of diabetes, age and therapeutic agents in diabetic Japanese patients. *Diabetes* **18**: 773-780.
- MOLENAAR, D. M., PALUMBO, P. J., WILSON, W. R. and RITTS, R. E. (1976) Leucocyte chemotaxis in diabetic patients and their non-diabetic first degree relatives. *Diabetes* **25**: 880-883.
- MONAFO, W. W., ELIASSEN, S. G., SHIMAZAKI, S. and SUGIMOTO, H. (1988) Regional blood flow in resting and stimulated sciatic nerve of diabetic rats. *Expl Neurol.* **99**: 607-614.
- MONNIER, V. M., STEVENS, V. J. and CERAMI, A. (1979) Non-enzymatic glycosylation, sulfhydryl oxidation and aggregation of lens proteins in experimental sugar cataracts. *J. exp. Med.* **150**: 1098-1107.
- MONNIER, V. M., VISHIANATH, V., FRANK, K. E., ELMETS, C. A. and KOHN, R. R. (1986) Relation between complications of type I diabetes mellitus and collagen-linked fluorescence. *New Engl. J. Med.* **314**: 403-407.
- MORIYAMA, T., GARCIA-PEREZ, A., OLSON, A. D. and BURG, M. B. (1991) Intracellular betaine substitutes for sorbitol in protecting renal medullary cells from hypertonicity. *Am. J. Physiol.* **260**: F494-F497.
- MUSACCHIO, L., PALERMO, N. and RODRIGUEZ, R. (1964) Microaneurysms in the retina of diabetic rats. *Lancet* **i**: 146.
- NAGARAJ, R. H. and MONNIER, V. M. (1990) Non-tryptophan fluorescence and high molecular weight protein formation in lens crystallins of rats with chronic galactosemia: Prevention by the aldose reductase inhibitor sorbinil. *Expl Eye Res.* **51**: 411-418.
- NATH, N., CHARI, S. N. and RATHI, A. B. (1984) Superoxide dismutase in diabetic polymorphonuclear leucocytes. *Diabetes* **33**: 586-589.
- NEWICK, P. G., WILSON, A. J., JAKUBOWSKI, J. A., BOULTON, A. J. M. and WARD, J. D. (1986) Sural nerve oxygen tension in diabetes. *Br. med. J.* **293**: 1053-1054.
- NOLAN, C. N., BEATY, H. N. and BAGDADE, J. D. (1978) Further characterization of the impaired bactericidal function of granulocytes in patients with poorly controlled diabetes. *Diabetes* **27**: 889-894.
- NOTVEST, R. R. and INSERRA, J. J. (1987) Tolrestat, an aldose reductase inhibitor, prevents nerve dysfunction in conscious diabetic rats. *Diabetes* **36**: 500-504.
- OCHS, S. (1984) Axoplasmic transport in relation to nerve fiber regeneration. In: *Axonal Transport in Neurons: Growth and Regeneration*, pp. 1-12. ELAM, J. S. and ANCALON, P. C. (eds). Plenum Press, New York and London.
- ODETTI, P. R., BORGOGLIO, A., DEPASCALE, A., ROLANDI, R. and ADEZATI, L. (1990) Prevention of diabetes-induced aging effect on rat collagen-linked fluorescence by aminoguanidine and rutin. *Diabetes* **39**: 796-800.
- OHASHI, Y., MATSUDA, M., HOSOTANI, H., TANO, Y., ISHIMOTO, I., FUKUDA, M. and MANABE, R. (1988) Aldose reductase inhibitor (CT-112) eyedrops for diabetic corneal epitheliopathy. *Am. J. Ophthalmol.* **105**: 233-237.
- OHI, T., PODUSLO, J. F. and DYCK, P. J. (1985) Increased endoneurial albumin in diabetic polyneuropathy. *Neurology* **35**: 1790-1791.
- ORLOFF, M., LEE, S. and CHARTERS, A. (1975) Long term studies of pancreas transplantation in experimental diabetes mellitus. *Ann Surg.* **182**: 198-205.
- OROSZ, S. E., TOWNSEND, S. F., TORNHEIM, P. A. and BROWNSCHIEDLE, C. M. (1981) Localization of aldose reductase and sorbitol dehydrogenase in the nervous system of normal and diabetic rats. *Acta Diabetol. Lat.* **18**: 373-381.
- OSTERBY, R. (1986) Structural changes in the diabetic kidney. *Clin. Endocr. Metab.* **15**: 733-751.
- OSTERBY, R. and GUNDERSEN, H. J. (1989) Glomerular basement membrane thickening in streptozotocin diabetic rats despite treatment with an aldose reductase inhibitor. *J. Diabet. Complicat.* **3**: 149-153.
- OSTERBY, R. and NYBERG, G. (1987) New vessel formation in the renal corpuscles in advanced diabetic glomerulopathy. *J. Diabet. Complicat.* **1**: 122-127.
- OSTERBY, R., PARVING, H. H., NYBERG, G., HOMMEL, E., JORGENSEN, H. E., LOKKEGAARD, H. and SVALAND, C. (1988) A strong correlation between glomerular filtration rate and filtration surface in diabetic nephropathy. *Diabetologia* **31**: 265-270.
- OWEN, M. P. and CARRIER, G. O. (1979) Alteration in vascular smooth muscle sensitivity to vasoconstrictor agents by streptozotocin induced diabetes. *Proc. West. Pharmac. Soc.* **22**: 363-366.
- OYAMA, Y., KAWASAKI, H., HATTORI, Y. and KANNO, M. (1986) Attenuation of endothelium-dependent relaxation in aorta from diabetic rats. *Eur. J. Pharmacol.* **132**: 75-78.
- PACE-ASCIAC, C. R., MARTIN, J. M. and LEE, S. P. (1988) Appearance of prostaglandins, thromboxane B₂ and heptaxilin A₃ in the circulation of the normal and diabetic (BB) rat after arachidonic acid administration: correlation with plasma insulin. *Biochem. Cell Biol.* **66**: 901-909.
- PAPACHRISTODOULOU, D. and HEATH, H. (1977) Ultrastructural alterations during the development of retinopathy in sucrose-fed and streptozotocin-diabetic rats. *Expl Eye Res.* **25**: 371-384.
- PAPACHRISTODOULOU, D., HEATH, H. and KANG, S. S. (1976) The development of retinopathy in sucrose- and streptozotocin-diabetic rats. *Diabetologia* **12**: 367-374.

- ATHASARTHY, N. and SPIRO, R. G. (1992) Effect of diabetes on the glycosaminoglycan component of the human glomerular basement membrane. *Diabetes* **31**: 738-741.
- FRANK, H. H. and HOMMEL, E. (1989) Prognosis in diabetic nephropathy. *Br. med. J.* **299**: 230-233.
- FRANK, A. and MAUMENEY, A. E. (1962) Studies on diabetic retinopathy. I. Retinopathy in a dog with spontaneous diabetes mellitus. *Am. J. Ophthalmol.* **54**: 532-541.
- FRANK, A., BERKOW, J., KAUMENEY, A. and COX, J. (1965) Studies on diabetic retinopathy. II. Retinopathy and nephropathy in spontaneous canine diabetes. *Diabetes* **14**: 700-708.
- GILTER, E. L. and ENNIS, S. R. (1980) The effect of induced diabetes on the electroretinogram components of the pigmented rat. *Invest. Ophthalmol. Vis. Sci.* **19**: 702-705.
- HANSEN, M. M., CHRISTIANSEN, J. S. and MOGENSEN, C. E. (1991) Reduction of glomerular hyperfiltration in normoalbuminuric IDDM patients by 6 months of aldose reductase inhibition. *Diabetes* **40**: 527-531.
- HARRIS, H. D., FOULKS, G. N., THOFT, R. A. and TOLENTINO, F. I. (1978) Corneal complications after closed vitrectomy through the pars plana. *Arch. Ophthalmol.* **96**: 1401-1403.
- PETERSON, M. J., SARGES, R., ALDINGER, C. E. and MACDONALD, D. P. (1979a) CP-45,634: a novel aldose reductase inhibitor that inhibits polyol pathway activity in diabetic and galactosemic rats. *Metabolism* **28**: 456-461.
- PETERSON, M. J., SARGES, R., ALDINGER, C. E. and MACDONALD, D. P. (1979b) Inhibition of polyol pathway activity in diabetic and galactosemic rats by the aldose reductase inhibitor CP-45,634. *Adv. exp. med. Biol.* **119**: 347-356.
- PETERSON, M. J., PAGE, M. G., JUST, L. J., ALDINGER, C. E. and MALONE, J. I. (1986) Applicability of red blood cell sorbitol measurements to monitor the clinical activity of sorbinil. *Metabolism* **35**: 93-95.
- WEBSTER, R. R., SCHEPENS, C. L., LEMP, M. A. and WEBSTER, R. G. (1971) Photocoagulation keratopathy: Report of a case. *Arch. Ophthalmol.* **86**: 94-96.
- WEBSTER, G. M. and GARRETT, J. G. (1988) Oxygen free radicals abolish endothelium dependent relaxation in diabetic rat aorta. *Am. J. Physiol.* **255**: H825-H833.
- WILKINSON, J. (1978a) Diabetes mellitus and its degenerative complications; a prospective study of 4400 patients observed between 1947 and 1973. Part 1. *Diabetes Care* **1**: 168-188.
- WILKINSON, J. (1978b) Diabetes mellitus and its degenerative complications; a prospective study of 4400 patients observed between 1947 and 1973. Part 2. *Diabetes Care* **1**: 252-263.
- WILKINSON, N. E., GUNDERSEN, K., MEHTA, D. J., VREELAND, F., SHAW, G. L., PETERSON, M. J. and COLLIER, J. (1986) Aldose reductase inhibitors in clinical practice. Preliminary studies on diabetic neuropathy and retinopathy. *Drugs* **32**: 30-35.
- WILSON, R. and HEATH, H. (1983) Inhibition of aldose reductase in five tissues of the streptozotocin-diabetic rat. *Biochem. Pharmacol.* **32**: 1495-1499.
- WILSON, R., BOOT-HANDFORD, R. P. and HEATH, H. (1983a) The effects of long-term treatment of streptozotocin-diabetic rats with an aldose reductase inhibitor. *Expl Eye Res.* **37**: 507-515.
- WILSON, R., BOOT-HANDFORD, R. P. and HEATH, H. (1983b) Some effects of aldose reductase inhibition upon the eyes of long-term streptozotocin-diabetic rats. *Curr. Eye Res.* **2**: 351-355.
- WILSON, R., MURRELLS, D. J., EARL, D. C. N. and HEATH, H. (1983c) The effects of an aldose reductase inhibitor upon the sorbitol pathway, fructose-1-phosphate and lactate in the retina and nerve of streptozotocin-diabetic rats. *Expl Eye Res.* **36**: 751-760.
- WILLIAMS, H. C., GARRETT, R. S., KADOR, P. F. and MIZISIN, A. P. (1991) Fine-structural localization of aldose reductase and ouabain-sensitive, K(+) -dependent *p*-nitro-phenylphosphatase in rat peripheral nerve. *Acta Neuropath.* **81**: 529-539.
- WILSON, H. G., MEYER-LEHNERT, H., BACKER, A., STELKENS, H. and KRAMER, H. J. (1990) Plasma concentrations of endothelin in patients with abnormal vascular reactivity. *Life Sci.* **47**: 1837-1843.
- WILSON, D. E., ALANI, S. M., CARRINGTON, A., STICKLAND, M. H. and WALES, J. K. (1987) The relationship between peripheral nerve resistance to ischemia and diabetic control. *J. Neurol. Neurosurg. Psychiatr.* **50**: 1671-1673.
- WILSON, D. E., AIREY, M., ALANI, S. M. and WALES, J. K. (1988a) Effect of aldose reductase inhibition on nerve conduction velocity and resistance to ischemic conduction block in experimental diabetes. *Diabetes* **37**: 969-973.
- WILSON, D. E., KEMP, J. V., PERKINS, C. M., BASTAIN, W., AIREY, C. M. and WALES, J. K. (1988b) The pharmacokinetics of ICI 128,436 during multiple oral dosing to diabetics. In: *Polyol Pathway and its Role in Diabetic Complications*, pp. 114-120. SAKAMOTO, N., KINOSHITA, J. H., KADOR, P. F. and HOTTA, N. (eds). Elsevier, Amsterdam.
- WILSON, G., TILTON, R. G., SPEEDY, A., CHANG, K.-C., PROVINCE, M. A., KILO, C. and WILLIAMSON, J. R. (1990a) Vascular filtration function in galactose-fed versus diabetic rats: The role of polyol pathway activity. *Metabolism* **39**: 690-697.
- WILSON, G., TILTON, R. G., SPEEDY, A., SANTARELLI, E., EADES, D. M., PROVINCE, M. A., KILO, C., SHERMAN, W. R. and WILLIAMSON, J. R. (1990b) Modulation of hemodynamic and vascular filtration changes in diabetic rats by dietary *myo*-inositol. *Diabetes* **39**: 312-322.
- WILSON, L. I., KROLEWSKI, A. S., AJELLO, L. M., WARRAM, J. H., BAKER, R. S. and MAKI, T. (1985) Multiple factors in the prediction of risk of proliferative retinopathy. *New Engl. J. Med.* **313**: 1433-1438.

- RASKIN, P., ROSENSTOCK, J., CHALLIS, P., RYDER, S., MULLANE, J. F., GONZALEZ, R. G., HICKS, D., SMITH, T. and DVORNIK, D. (1985) Effect of tolrestat on red blood cell sorbitol levels in patients with diabetes. *Clin. Ther.* **38**: 625-630.
- RAYFIELD, E. J., AULT, M. J., KEUSCH, G. T., BROTHERS, M. J., NECHEMIAS, C. and SMITH, H. (1982) Infection and diabetes: the case for glucose control. *Am. J. Med.* **72**: 439-450.
- RICHARD, S., TAMAS, C., SELL, D. R. and MONNIER, V. M. (1991) Tissue-specific effects of aldose reductase inhibition on fluorescence and cross-linking of extracellular matrix in chronic galactosemia. *Diabetes* **40**: 1049-1056.
- RILLAERTS, E., DELEEUW, I., MIGOM, C. and GUASTAVINO, V. (1986) Blood viscosity changes after 6 weeks intensified conventional treatment in insulin-dependent diabetics. *Transplant. Proc.* **17**: 1684-1685.
- RILLAERTS, E. G., VERTOMMEN, J. J. and DE LEEUW, I. H. (1988) Effect of statil (ICI 128436) on erythrocyte viscosity *in vitro*. *Diabetes* **37**: 471-475.
- RITCHIE, D. M. (1985) Filtration of dilute erythrocyte suspension as a measure of erythrocyte deformability and its relationship to blood glucose control in diabetes mellitus. *Clin. Hemorheol.* **5**: 257-268.
- ROBEY, C., DASMAHAPATRA, A. and COHEN, M. P. (1986) *In vitro* effects of hyperglycemia and sorbinil on erythrocyte (RBC) deformability. *Diabetes* **35**: 108A.
- ROBEY, C., DASMAHAPATRA, A., COHEN, M. P. and SUAREZ, S. (1987) Sorbinil partially prevents decreased erythrocyte deformability in experimental diabetes mellitus. *Diabetes* **36**: 1010-1013.
- ROBISON, W. G. J., KADOR, P. F. and KINOSHITA, J. H. (1983) Retinal capillaries: basement membrane thickening by galactosemia prevented with aldose reductase inhibitor. *Science* **221**: 1177-1179.
- ROBISON, W. G. J., KADOR, P. F., AKAGI, Y. and KINOSHITA, J. H. (1984) Basement membrane thickening in ocular vessels of galactosemic rats prevented with aldose reductase inhibitors. *Invest. Ophthalmol. Vis. Sci.* **25**: 6.
- ROBISON, W. G. J., HOHMAN, T. C. and KADOR, P. F. (1986a) Prevention of retinal microangiopathy in long-term diabetic models by aldose reductase inhibitors. *Invest. Ophthalmol. Vis. Sci.* **27**: 255.
- ROBISON, W. G. J., KADOR, P. F., AKAGI, Y., KINOSHITA, J. H., GONZALEZ, R. and DVORNIK, D. (1986b) Prevention of basement membrane thickening in retinal capillaries by a novel inhibitor of aldose reductase, tolrestat. *Diabetes* **35**: 295-299.
- ROBISON, W. G. J., KINOSHITA, J. H. and KADOR, P. F. (1986c) The polyol pathway in retinal microangiopathy. *Drugs* **32**: 19-22.
- ROBISON, W. G. J., NAGATA, M. and KINOSHITA, J. H. (1988) Aldose reductase and retinal capillary basement membrane thickening. *Expl Eye Res.* **46**: 343-348.
- ROBISON, W. G. J., NAGATA, M., LAVER, N., HOHMAN, T. C. and KINOSHITA, J. H. (1989a) Diabetic retinopathy in rats prevented with an aldose reductase inhibitor. *Invest. Ophthalmol. Vis. Sci.* **30**: 2285-2292.
- ROBISON, W. G. J., NAGATA, M., TILLIS, T. N., LAVER, N. and KINOSHITA, J. H. (1989b) Aldose reductase and pericyte-endothelial cell contacts in retina and optic nerve (published erratum appears in *Invest. Ophthalmol. Vis. Sci.* (1990) **31**(4): 782-783). *Invest. Ophthalmol. Vis. Sci.* **30**: 2293-2299.
- ROBISON, W. G. J., TILLIS, T. N., LAVER, N. and KINOSHITA, J. H. (1990) Diabetes-related histopathologies in the rat retina prevented with an aldose reductase inhibitor. *Expl Eye Res.* **50**: 355-366.
- ROHRBACH, D. H. and MARTIN, G. R. (1982) Structure of basement membrane in normal and diabetic tissue. *Ann. N. Y. Acad. Sci.* **401**: 203-211.
- ROHRBACH, D. H., HASSELL, J. R., KLEINMAN, H. K. and MARTIN, G. R. (1982) Alterations in the basement membrane (heparan sulfate) proteoglycan in diabetic mice. *Diabetes* **31**: 185-188.
- ROHRBACH, D. H., WAGNER, C. W., STAR, V. L., MARTIN, G. R., BROWN, K. S. and YOON, J. W. (1983) Reduced synthesis of basement membrane heparan sulfate proteoglycan in streptozotocin-induced diabetic mice. *J. Biol. Chem.* **258**: 11672-11677.
- ROHRBACH, R. (1986) Reduced content and abnormal distribution of anionic sites (acid proteoglycans) in diabetic glomerular basement membrane. *Virchows Arch. [A]* **51**: 127-135.
- ROSEN, P. and SCHROR, K. (1980) Increased prostacyclin release from perfused hearts of acutely diabetic rats. *Diabetologia* **18**: 391-394.
- ROSEN, P., SINGER, W., FEUERSTEIN, J., GROTE, H., REINAUER, H. and SCHROR, K. (1983) Influence of streptozotocin diabetes on myocardial lipids and prostaglandin release by the rat heart. *Biochem. Med.* **30**: 19-24.
- ROSENBLOOM, A. L., SILVERSTEIN, J. H., LEZOTTE, D. C., RICHARDSON, K. and MCCALLUM, M. (1981) Limited joint mobility in childhood diabetes mellitus indicates increased risk for microvascular disease. *New Engl. J. Med.* **305**: 191-194.
- ROSENBLUM, W. I. and HIRSH, P. D. (1984) Some interrelationships between glucose levels, thromboxane production and prostacyclin production in normal and diabetic mice. *Prostaglandins* **27**: 111-118.
- ROSS, W. M., CREIGHTON, M. O., STEWART-DEHANN, P. J., SANWAL, M., HIRST, M. and TREVITHICK, J. R. (1985) Modelling cortical cataractogenesis. III. *In vitro* effects of vitamin E on cataractogenesis in diabetic rats. *Can. J. Ophthalmol.* **17**: 61-66.
- SATO, H., OIKAWA, S. and SUZUKI, H. (1985) Effect of aldose reductase inhibitor (M 79,175) on thickness of renal glomerular basement membrane in galactose-fed STZ (streptozotocin) induced diabetic rats. *Diabet. Res. clin. Pract.* **1**: S494.
- SCHAMBELAN, M., BLAKE, S. and SRAER, J. (1985) Increased prostaglandin production by glomeruli isolated from rats with streptozotocin-induced diabetes mellitus. *J. clin. Invest.* **75**: 404-412.
- SCHMID-SCHÖNBEIN, H. and VOLGER, E. (1976) Red cell aggregation and red cell deformability in diabetes. *Diabetes* **25**: 897-902.

- IMIDT, R. E., PLURAD, S. B., SHERMAN, W. R., WILLIAMSON, J. R. and TILTON, R. G. (1989) Effects of aldose reductase inhibitor sorbinil on neuroaxonal dystrophy and levels of myo-inositol and sorbitol in sympathetic autonomic ganglia of streptozocin-induced diabetic rats. *Diabetes* **38**: 669-679.
- KNIDER, S. L. and KOHN, R. R. (1981) Effects of age and diabetes mellitus on the solubility and nonenzymatic glucosylating of human skin collagen. *J. clin. Invest.* **67**: 1630-1635.
- HULTZ, R. O., VAN HORN, D. L., PETERS, M. A., KLEWIN, K. M. and SCHUTTEN, W. H. (1981) Diabetic keratopathy. *Trans. Am. Ophthalm. Soc.* **79**: 180-199.
- HULTZ, R. O., MATSUDA, M., YEE, R. W., EDELHAUSER, H. F. and SCHULTZ, K. J. (1984) Corneal endothelial changes in type I and type II diabetes mellitus. *Am. J. Ophthalm.* **98**: 401-410.
- SAWA, M., HIRATA, Y., FUJIMORI, S. and OKADA, K. (1988) The development of electroretinogram abnormalities and the possible role of polyol pathway activity in diabetic hyperglycemia and galactosemia. *Metabolism* **37**: 454-460.
- YAGUCHI, M., WATANABE, K., ETO, M., IWASHIMA, Y., MORIKAWA, A., TAKAHASHI, M., ISHII, K. and MAKINO, I. (1991) Polyol pathway in tissues of spontaneously diabetic Chinese hamsters (*Cricetulus griseus*) and the effect of an aldose reductase inhibitor, ONO-2235. *Comp. Biochem. Physiol.* **B. 98**: 637-640.
- NEVIRATNE, K. N. (1972) Permeability of blood nerve barriers in the diabetic rat. *J. Neurol. Neurosurg. Psychiat.* **35**: 156-162.
- NEVIRATNE, K. N. and PEIRIS, O. A. (1968) The effect of ischaemia on the excitability of sensory nerves in diabetes mellitus. *J. Neurol. Neurosurg. Psychiat.* **31**: 348-353.
- STANI, K., BELLINI, F. M., FUNG, S., ABRAHAM, N., TREASURYWALA, A., HUMBER, L., SIMARD-DUQUESNE, N. and DVORNIK, D. (1984) *N*-(5-(trifluoromethyl)-6-methoxy-1-naphthalenyl)thioxomethyl)-*N*-methylglycine (Tolrestat), a potent, orally active aldose reductase inhibitor. *J. med. Chem.* **27**: 255-256.
- WCHAND, L. S., HAMPEL, W. L., DIDDIE, K. R. and MEISELMAN, H. J. (1981) Membrane mechanical properties of erythrocytes from patients with diabetic retinopathy. *Microcirculation* **1**: 361-380.
- ANKS, E., D'AMICO, D. J. and GRAGOUDES, E. S. (1985) Experimental model of diabetic retinopathy in the rat: effects of dietary galactose and sorbinil on retinal basement membranes. *Invest. Ophthalm. Vis. Sci.* **26**: 28.
- ARMA, A. K. and THOMAS, P. K. (1974) Peripheral nerve structure and function in experimental diabetes. *J. Neurol. Sci.* **23**: 1-15.
- TERMAN, W. R. and DYCK, P. J. (1983) Free inositol, sorbitol and fructose levels in sciatic nerve. *Diabetologia* **25**: 452-453.
- RAY, R. and HAUSLER, E. (1967) Eye findings in two spontaneously diabetic related dogs. *Am. J. Ophthalm.* **63**: 289-294.
- JBITT, W. L. J., MILLS, R. G., BIGLER, C. F., EATON, R. P., GRIFFEY, R. H. and VANDER-JAGT, D. L. (1989) Glucose inhibition of human fibroblast proliferation and response to growth factors is prevented by inhibitors of aldose reductase. *Mech. Ageing Dev.* **47**: 265-279.
- BERBAUER, K., SCHERNTHANER, G., SINZINGER, H. and PIZA-KATZER, H. (1979) Decreased vascular prostacyclin in juvenile onset diabetes. *New Engl. J. Med.* **300**: 366-367.
- BERBAUER, K., CLOPATA, P., SINZINGER, H. and SCHERNTHANER, G. (1980) Effect of experimentally induced diabetes on surine vascular prostacyclin (PGI₂) synthesis. *Artery* **8**: 30-36.
- MA, A. A. F., CHAKRABARTI, S., GARCIA-SALINAS, R. and BASU, P. K. (1985) The BB-rat—an authentic model of human diabetic retinopathy. *Curr. Eye Res.* **4**: 1087-1092.
- MA, A. A. F., BRIL, V., NATHANIEL, V., MCEWEN, T. A., BROWN, M. B., LATTIMER, S. A. and GREENE, D. A. (1988) Regeneration and repair of myelinated fibers in sural-nerve biopsy specimens from patients with diabetic neuropathy treated with sorbinil. *New Engl. J. Med.* **319**: 548-555.
- MA, A. A. F., PRASHAR, A., ZHANG, W.-X., CHAKRABARTI, S. and GREENE, D. A. (1990) Preventive effect of long-term aldose reductase inhibition (ponalrestat) on nerve conduction and sural nerve structure in the spontaneously diabetic Bio-Breeding rat. *J. clin. Invest.* **85**: 1410-1420.
- MA, A. A. F., NATHANIEL, V., PRASHAR, A., BRIL, V. and GREENE, D. A. (1991) Endoneurial microvessels in human diabetic neuropathy: Endothelial cell dysjunction and lack of treatment effect by aldose reductase inhibitor. *Diabetes* **40**: 1090-1099.
- MARD-DUQUESNE, N., GRESELIN, E., GONZALEZ, R. and DVORNIK, D. (1985) Prevention of cataract development in severely galactosemic rats by the aldose reductase inhibitor, tolrestat. *Proc. Soc. exp. biol. Med.* **178**: 599-605.
- MMONS, D. A., WINEGRAD, A. I. and MARTIN, D. B. (1982) Significance of tissue myo-inositol concentrations in metabolic regulation in nerve. *Science* **217**: 848-851.
- INGER, P. A., MEHLER, S. and FERNANDEZ, H. L. (1982) Blockade of retrograde axonal transport delays the onset of metabolic and morphologic changes induced by axotomy. *J. Neurosci.* **2**: 1299-1306.
- KENE, J. H. P. (1984) Growth-associated proteins and the curious dichotomies of nerve regeneration. *Cell* **37**: 697-700.
- ORBINIL RETINOPATHY TRIAL RESEARCH GROUP (1990) A randomized trial of sorbinil, an aldose reductase inhibitor, in diabetic retinopathy. *Arch. Ophthalm.* **108**: 1234-1244.
- OSULA, L., BEAUMONT, P., HOLLOWES, F. and JONSON, K. (1972) Dilatation and endothelial proliferation of retinal capillaries in streptozotocin-diabetic rats. *Diabetologia* **11**: 926-935.

- SREDY, J., FLAM, B. R. and SAWICKI, D. R. (1991) Adenosine triphosphatase activity in sciatic nerve tissue streptozocin-induced diabetic rats with and without high dietary sucrose: effect of aldose reductase inhibitors. *Proc. Soc. exp. biol. Med.* **197**: 135-143.
- SRIVASTAVA, S. K. and ANSARI, N. H. (1988) Prevention of sugar-induced cataractogenesis in rats by butylated hydroxytoluene. *Diabetes* **37**: 1505-1508.
- SRIVASTAVA, S. K., ANSARI, N. H., HAIR, G. A., AWASTHI, S. and DAS, B. (1986) Activation of human erythrocyte, brain, aorta, muscle and ocular tissue aldose reductase. *Metabolism* **35**: 114-118.
- STEFFES, M. W., BROWN, D. M., BASGEN, J. M., MATAS, A. J. and MAUER, S. M. (1979) Glomerular basement membrane thickness following islet transplantation in the diabetic rat. *Lab. Invest.* **41**: 116-118.
- STEINNESS, I. B. (1959) Vibratory perception in diabetics during arrested blood flow to the limb. *Acta med. scand.* **163**: 195-205.
- STEINNESS, I. B. (1961) Influence of diabetic status on vibratory perception during ischemia. *Acta med. scand.* **170**: 319-338.
- STEVENS, E. J., WILLIAMS, G. B. and TOMLINSON, D. R. (1992) Basal and angiotensin II stimulated prostacyclin release by perfused rat lung in experimental diabetes: effects of insulin and aldose reductase inhibition. *Br. J. Pharmacol.*, in press.
- STEVENS, V. J., ROUZER, C. A., MONNIER, V. M. and CERAMI, A. (1978) Diabetic cataract formation: potential role of glycosylation of lens crystallins. *Proc. natn. Acad. Sci. U. S. A.* **75**: 2918-2922.
- STEWART, M. A., SHERMAN, W. R., KURIEN, M. M., MOONSAMMY, G. I. and WISGERHOF, M. (1967) Polyphosphatide accumulations in nervous tissue of rats with experimental diabetes and galactosaemia. *J. Neurochem.* **14**: 1057-1066.
- STORNELLO, M., VALVO, E. V. and SCAPELLATO, L. (1992) Persistent albuminuria in normotensive non-insulin dependent (type II) diabetic patients: Comparative effects of angiotensin-converting enzyme inhibitors and α -adrenoceptor blockers. *Clin. Sci.* **82**: 19-23.
- STRIBLING, D. (1990) Clinical trials with aldose reductase inhibitors. *Expl. Eye Res.* **50**: 621-624.
- STRIBLING, D., MIRRELES, D. J., HARRISON, H. E. and EARL, D. C. N. (1985) Properties of ICI 128,436, a novel aldose reductase inhibitor and its effects of diabetic complications in the rat. *Metabolism* **34**: 336-344.
- STRIBLING, D. R., HARRISON, H. E., GASCHEN, F. and ROSSI, G. L. (1986) Effect of aldose reductase inhibition with statil (ICI-128,436) on retinal capillary basement membrane thickening in streptozotocin diabetic rats. *Diabetologia* **29**: 597A.
- STUART, J., KENNY, M. W. and AUKLAND, A. (1983) Filtration of washed erythrocytes in atherosclerosis and diabetes mellitus. *Clin. Hemorheol.* **3**: 23-30.
- SUAREZ, G., RAJARAM, R., BHUYAN, K. C., ORONSKY, A. L. and GOIDI, J. A. (1988) Administration of an aldose reductase inhibitor induces a decrease of collagen fluorescence in diabetic rats. *J. clin. Invest.* **82**: 624-630.
- SUBBIAH, M. T. R. and DEITEMEYER, D. (1980) Altered synthesis of prostaglandins in platelet and aorta from spontaneously diabetic Wistar rats. *Biochem. Med.* **23**: 231-235.
- SUNDKVIST, G., LILJA, B., ROSEN, I. and AGARDH, C. D. (1987) Autonomic and peripheral nerve function in early diabetic neuropathy. Possible influence of a novel aldose reductase inhibitor on autonomic function. *Acta med. scand.* **221**: 445-453.
- SUSSMAN, I., CARSON, M. P., SCHULTZ, V., WU, X. P., MCCALL, A. L., RUDERMAN, N. B. and TORNHEIM, K. (1990) Chronic exposure to high glucose decreases myo-inositol in cultured cerebral microvascular pericytes but not in endothelium. *Diabetologia* **31**: 771-775.
- SZARFMAN, A., HASSEL, J. R., ROHRBACH, D. H., STANLEY, J. R. and MARTIN, G. R. (1982) Components of basement membrane: their properties, function and alteration in the disease state. In: *New Trends in Basement Membrane Research*, pp. 265-275. KUEHN, K., SCHOENE, H. H. and TIMPLE, R. (eds). Raven Press, New York.
- TAKAHASHI, K., GHATEI, M. A., LAM, H.-C., O'HALLORAN, D. J. and BLOOM, S. R. (1990) Elevated plasma endothelin in patients with diabetes mellitus. *Diabetologia* **33**: 306-310.
- TAKAHASHI, K., SUDA, K., LAM, H.-C., GHATEI, M. A. and BLOOM, S. R. (1991) Endothelin-like immunoreactivity in rat models of diabetes mellitus. *J. Endocr.* **130**: 123-127.
- TAKEDA, Y., MIGAMORI, Y., YONEDA, T. and TAKEDA, R. (1991) Production of endothelin-1 from the mesenteric arteries of streptozotocin-induced diabetic rats. *Life Sci.* **48**: 2553-2556.
- TARN, A. C. and DRURY, P. L. (1986) Blood pressure in children, adolescents and young adults with Type 1 (insulin-dependent) diabetes. *Diabetologia* **29**: 275.
- TARN, A. C., THOMAS, J. M. and DRURY, P. L. (1990) Correlates of blood pressure in young insulin-dependent diabetics and their families. *J. Hypertension* **8**: 795-803.
- TEBBS, S. E., GONZALEZ, A. M. and WILSON, R. M. (1991) The role of aldose reductase inhibition in diabetic neutrophil phagocytosis and killing. *Clin. exp. Immunol.* **84**: 482-487.
- TERUBAYASHI, H., AKAGI, Y., TAKAHASHI, Y., IKEBE, H., MIYAMOTO, Y., IBARAKI, N., YOKOI, N., TUTUMI, M. and ITOI, M. (1988) Prevention of experimental diabetic corneal endotheliopathy with a new aldose reductase inhibitor. *Nippon. Ganka. Gakkai. Zasshi.* **92**: 151-155.
- TERUBAYASHI, H., SATO, S., NISHIMURA, C., KADOR, P. F. and KINOSHITA, J. H. (1989) Localization of aldose aldose aldehyde reductase in the kidney. *Kidney Int.* **36**: 843-851.
- THE DCCT RESEARCH GROUP (1988) Baseline analysis of neuropathy in feasibility phase of diabetes control and complications trial (DCCT). *Diabetes* **37**: 477-481.
- THOMAS, P. K. and LASCELLES, R. G. (1966) The pathology of diabetic neuropathy. *Q. J. Med.* **35**: 489-500.

- LINSON, D. R. (1989) Polyols and *myo*-inositol in diabetic neuropathy—of mice and men. *Mayo clin. Proc.* 64: 1030–1033.
- LINSON, D. R., HOLMES, P. R. and MAYER, J. H. (1982) Reversal, by treatment with an aldose reductase inhibitor, of impaired axonal transport and motor nerve conduction velocity in experimental diabetes mellitus. *Neurosci. Lett.* 31: 189–193.
- LINSON, D. R., TOWNSEND, J. and FRETTE, P. (1985) Prevention of defective axonal transport in streptozotocin-diabetic rats by treatment with 'Statil' (ICI 128436), an aldose reductase inhibitor. *Diabetes* 34: 970–972.
- LINSON, D. R., SIDENIUS, P. and LARSEN, J. R. (1986) Slow component-a of axonal transport, nerve *myo*-inositol and aldose reductase inhibition in streptozotocin-diabetic rats. *Diabetes* 35: 398–402.
- LINSON, D. R., ROBINSON, J. P., WILLIAMS, G. B. and KEEN, P. (1988) Deficient axonal transport of substance P in streptozotocin-induced diabetic rats. Effects of sorbinil and insulin. *Diabetes* 37: 488–493.
- LINSON, D. R., SMITH, W. J., WALKER, J. H. and KEEN, P. (1990) Axonal flux and neuronal gene expression in experimental diabetic neuropathy. *Diabet. Metab.* 16: 350–351.
- MASSAINT, D. (1966) Lesions retiniennes au cours de diabète alloxanique chez le rat. *Bull. Soc. Belge Ophthalm.* 43: 648–654.
- MATHICK, J. R., CREIGHTON, M. O., ROSS, W. M., STEWART-DEHAAN, J. P. and SANWAL, M. (1981) Modelling of cortical cataractogenesis. II. *In vitro* effects on the lens of agents preventing glucose- and sorbitol-induced cataracts. *Can. J. Ophthalm.* 16: 32–38.
- MATHICK, M. O. M., CUNHA-VAZ, J. G. and SHIH, C. Y. (1980) Clinicopathologic study of blood–retinal barrier in experimental diabetes mellitus. *Arch. Ophthalm.* 98: 2032–2040.
- MATHICK, R. R., SCHMELZER, J. D. and LOW, P. A. (1984) Endoneurial blood flow and oxygen tension in the sciatic nerves of rats with experimental diabetic neuropathy. *Brain* 107: 935–950.
- MATHICK, F., NODA, K., HASHIMOTO, T., YAMASHITA, T. and NAWATA, H. (1989) Effect of aldose reductase inhibitor (Ponalrestat) on erythrocyte Na,K-ATPase activity in non-insulin-dependent diabetic patients with polyneuropathy. *Diabetes Res.* 12: 125–129.
- MATHICK, HEYNINGEN, R. (1959) Formation of polyols by the lens of the rat with 'sugar' cataracts. *Nature* 184: 94–95.
- MATHICK, S. D. and KINOSHITA, J. H. (1976) Topical treatment of galactose cataracts. *Doc. Ophthalm. Proc. Ser.* 1: 305–309.
- MATHICK, S. D., MIZUNO, A. and KINOSHITA, J. H. (1977) Diabetic cataracts and flavonoids. *Science* 195: 205–206.
- MATHICK, I., STEINMETZ, E. T., ZEYER, L. J. M. and VAN DER VEER, E. A. (1987) Rheological properties of white blood cells are changed in diabetic patients with microvascular complications. *Diabetologia* 30: 434–436.
- MATHICK, SORES, S. A., CAMPOCHIARO, P. A., WILLIAMS, E. H., MAY, E. E., GREEN, W. R. and SORENSON, R. L. (1988) Aldose reductase expression in human diabetic retinal pigment epithelium. *Diabetes* 37: 1658–1664.
- MATHICK, SORES, S. A., MCGEEHEE, R., LEE, A., GADEGBEKU, C. and CAMPOCHIARO, P. A. (1990) Ultrastructural localization of blood–retinal barrier breakdown in diabetic and galactosemic rats. *J. Histochem. Cytochem.* 38: 1341–1352.
- MATHICK, AKASUGI, M., NOGUCHI, T., INOUE, M., TAWATA, M., SHINDO, H. and ONAYA, T. (1991) Effects of aldose reductase inhibitors on prostacyclin (PGI₂) synthesis by aortic rings from rats with streptozotocin-induced diabetes. *Prost. Leuk. Essent. Fatty Acids* 44: 233–236.
- MATHICK, BARD, J. D., BAKER, R. W. R. and DAVIS, B. H. (1972) Effect of blood sugar control on the accumulation of sorbitol and fructose in nervous tissues. *Diabetes* 21: 1173–1178.
- MATHICK, HITELEY, S. J. and TOMLINSON, D. R. (1985) Motor nerve conduction velocity and nerve polyols in mice with short-term genetic or streptozotocin-induced diabetes. *Expl Neurol.* 89: 314–321.
- MATHICK, HITELEY, S. J., TOWNSEND, J., TOMLINSON, D. R. and WILLIAMS, G. B. (1986) Fast anterograde axonal transport in wasted and non-wasted diabetic rats; effects of aldose reductase inhibition. *Diabetes Res. clin. Pract.* 3: 447–452.
- MATHICK, WILLIAMS, G. B., CALCUTT, N. A. and TOMLINSON, D. R. (1987a) Reduced anterograde and retrograde accumulation of axonally transported phosphofructokinase in streptozotocin-diabetic rats: effects of insulin and the aldose reductase inhibitor 'Statil'. *Diabetologia* 30: 239–243.
- MATHICK, WILLIAMS, G. B., LAMBOURNE, J. E. and TOMLINSON, D. R. (1987b) Does galactose feeding provide a valid model of the consequences of exaggerated polyol-pathway flux in peripheral nerve in experimental diabetes? *Diabetes* 36: 1425–1431.
- MATHICK, WILLIAMS, G. B., TOWNSEND, J., TOMLINSON, D. R., COMPTON, A. M. and CHURCHILL, R. D. (1988) Studies on peripheral nerve and lens in long-term experimental diabetes: effects of the aldose reductase inhibitor statil. *Metabolism* 37: 442–449.
- MATHICK, WILLIAMS, E., TIMPERLEY, W. R., BARD, J. D. and DUCKWORTH, T. (1980) Electron microscopical studies of vessels in diabetic peripheral neuropathy. *J. clin. Path.* 33: 462–470.
- MATHICK, WILLIAMSON, J. R. and KILO, C. (1977) Current status of capillary basement-membrane disease in diabetes mellitus. *Diabetes* 26: 65–75.
- MATHICK, WILLIAMSON, J. R. and KILO, C. (1983) Capillary basement membranes in diabetes. *Diabetes* 32: 96–100.
- MATHICK, WILLIAMSON, J. R., CHANG, K.-C., ROWOLD, E., MARVEL, J., TOMLINSON, M., SHERMAN, W. R., ACKERMANN, K. E. and KILO, C. (1985) Sorbinil prevents diabetes-induced increases in vascular permeability but does not alter collagen cross-linking. *Diabetes* 34: 703–705.

- WILLIAMSON, J. R., OSTROW, E., EADES, D., CHANG, K., ALLISON, W., KILO, C. and SHERMAN, W. R. (1990) Glucose-induced microvascular functional changes in nondiabetic rats are stereospecific and are prevented by an aldose reductase inhibitor. *J. clin. Invest.* **85**: 1167-1172.
- WILSON, R. M., TOMLINSON, D. R. and REEVES, W. G. (1987) Neutrophil sorbitol production impairs oxidative killing in diabetes. *Diabet. Med.* **4**: 37-40.
- WINEGRAD, A. I., SIMMONS, D. A. and MARTIN, D. B. (1983) Has one diabetic complication been explained? *N. Engl. J. Med.* **308**: 152-154.
- WISEMAN, M., VIBERTI, G., MACKINTOSH, D., JARRETT, R. J. and KEEN, H. (1984) Glycaemia, arterial pressure and microalbuminuria in Type I (insulin-dependent) diabetes. *Diabetologia* **26**: 401-405.
- WU, V. Y., WILSON, B. and COHEN, M. P. (1987) Disturbances in glomerular basement membrane glycosaminoglycans in experimental diabetes. *Diabetes* **36**: 679-683.
- XIONG, H. and CHENG, H. M. (1989) Aqueous/vitreous tonicity in 'sugar' cataracts. *Ophthalm. Res.* **21**: 292-299.
- YAGIHASHI, S., KAMIJO, M., IDO, Y. and MIRRELES, D. J. (1990) Effects of long-term aldose reductase inhibition on development of experimental diabetic neuropathy: Ultrastructural and morphometric studies of sural nerve in streptozocin-induced diabetic rats. *Diabetes* **39**: 690-696.
- YANCEY, P. H., HANER, R. G. and FREUDENBERGER, T. H. (1990) Effects of an aldose reductase inhibitor on organic osmotic effectors in rat renal medulla. *Am. J. Physiol.* **259**: F733-F738.
- YASUDA, H., SONOBE, M., YAMASHITA, M., TERADA, M., HATANAKA, I., HUITIAN, Z. and SHIGETA, Y. (1989) Effect of prostaglandin E₁ analog TFC 612 on diabetic neuropathy in streptozocin-induced diabetic rat. Comparison with aldose reductase inhibitor ONO 2235. *Diabetes* **38**: 832-838.
- YEE, R. W., MATSUDA, M., KERN, T. S., ENGERMAN, R. L. and EDELHAUSER, H. F. (1985) Corneal endothelial changes in diabetic dogs. *Curr. Eye Res.* **4**: 759-766.
- YOREK, M. A. and DUNLAP, J. A. (1989) The effect of elevated glucose levels on myo-inositol metabolism in cultured bovine aortic endothelial cells. *Metabolism* **38**: 16-22.
- YOREK, M. A., STEFANI, M. R. and MOORE, S. A. (1991) Acute and chronic exposure of mouse cerebral microvessel endothelial cells to increased concentrations of glucose and galactose: Effect on myo-inositol metabolism, PGE₂ synthesis and Na⁺/K⁺-ATPase transport activity. *Metabolism* **40**: 347-358.
- YOSHA, S. F., ELDEEN, H. R., RABINOVICH, A., MINTZ, D. H. and BOUCEK, R. J. (1983) Experimental diabetes mellitus and age-stimulated changes in intact rat dermal collagen. *Diabetes* **32**: 739-742.
- YOSHIDA, T., NISHIOKA, H., YOSHIOKA, K., NAKANO, K., KONDO, M. and TERASHIMA, H. (1987) Effect of aldose reductase inhibitor ONO 2235 on reduced sympathetic nervous system activity and peripheral nerve disorders in STZ-induced diabetic rats. *Diabetes* **36**: 6-13.
- YOUNG, R. J., EWING, D. J. and CLARKE, B. F. (1983) A controlled trial of sorbinil, an aldose reductase inhibitor, in chronic painful diabetic neuropathy. *Diabetes* **32**: 938-942.
- YUE, D. K., HANWELL, M. A., SATCHELL, P. M. and TURTLE, J. R. (1982) The effect of aldose reductase inhibition on motor nerve conduction velocity in diabetic rats. *Diabetes* **31**: 789-794.
- YUE, D. K., DELBRIDGE, L., HANDELSMANN, D. J., REEVE, T. and TURTLE, J. R. (1983) The thermal stability of collagen in diabetic rats: correlation with severity of diabetes and non-enzymatic glycosylation. *Diabetologia* **24**: 282-285.
- YUE, D. K., HANWELL, M. A., SATCHELL, P. M., HANDELSMAN, D. J. and TURTLE, J. R. (1984) The effects of aldose reductase inhibition on nerve sorbitol and myoinositol concentrations in diabetic and galactosemic rats. *Metabolism* **33**: 1119-1122.
- ZHANG, W.-X., CHAKRABARTI, S., GREENE, D. A. and SIMA, A. A. F. (1990) Diabetic autonomic neuropathy in BB rats and effect of ARI treatment on heart-rate variability and vagus nerve structure. *Diabetes* **39**: 613-618.
- ZIBOH, V. A., MARUTA, H., LORD, J., CAGLE, W. D. and LUCKY, W. (1979) Increased biosynthesis of thromboxane A₂ by diabetic patients. *Eur. J. clin. Invest.* **9**: 223-228.
- ZIEGLER, D., WIEFELS, K., DANNEHL, K. and GRIES, F. A. (1988) Effects of one year of near-normoglycemia on peripheral nerve function in type 1 (insulin-dependent) diabetic patients. *Klin. Wochenschr.* **66**: 388-396.
- ZIEGLER, D., MAYER, P., MÜHLEN, H. and GRIES, F. A. (1991) The natural history of somatosensory and autonomic nerve dysfunction in relation to glycaemic control during the first 5 years after diagnosis of Type 1 (insulin-dependent) diabetes mellitus. *Diabetologia* **34**: 822-829.